

RECORD OF COMMUNICATION		<input checked="" type="checkbox"/> PHONE CALL <input type="checkbox"/> DISCUSSION <input type="checkbox"/> FIELD TRIP <input type="checkbox"/> CONFERENCE <input type="checkbox"/> OTHER (SPECIFY)	
(Record of item checked above)			
TO: Tim Sheehan, Norristown (DER)	FROM: Greg Foltom	DATE: 8/15/83	TIME:
SUBJECT: Boyertown Sanitary Disposal Co. - Update (PAD C4603005)			
SUMMARY OF COMMUNICATION			
<p>During the period 6/9/83 → 6/21/83, 3 CETs were conducted at the landfill by Tim Sheehan, DER. The facility is still in violation - DER has drafted an <u>Order</u> for the a list of discrepancies but their lawyers continue to hold off issuance. I asked if ^{whether} our preparing ^{initiating} an order could ^{might} help the situation along. He saw no problem with this.</p> <p>The order which ^{that} DER has drafted notes ^{notes} several violations that are listed below. The same things ^{discrepancies} should be part of our order to the landfill.</p> <ol style="list-style-type: none">(1) Closure Plan for their facility ^{to handle all of the facility's HW} is not ^{is overdue} for their ^{to be} the ^{to be} landfill.(2) DER feels a new lagoon ^{is necessary} to replace the present one that is malfunctioning and ^{is} not ^{not} meeting. The old lagoon does not meet RCRA standards.(3) Facility's present ^{present} lagoon has no monitoring wells ^{downgradient} to monitor the effect the lagoon has ^{as would be required by 40 CFR 265.} <p>The aforementioned draft order will also be ordering the sewer authority ^{Berks County} to handle Boyertown's waste until ^{Boyertown's} the new lagoon is constructed. at the At present, nothing has been resolved concerning the municipality's refusal to handle Boyertown's ^{HW} the waste for treatment. Boyertown continues to truck away their HW for treatment at nearby ^{approved} TSD facilities.</p>			
CONCLUSIONS, ACTION TAKEN OR REQUIRED			
<p>DER Inspector Sheehan has ^{has} agrees that EPA should issue order to facility for the ^{those} problems previously cited.</p>			
INFORMATION COPIES			
TO:			

18402
SUBJECT: RCRA Inspection - Boyertown Sanitary Landfill - Gilbertsville, Pa.
PAD 048603005

DATE: 3/31/89

FROM: *JK* Gregory A. Koltonuk, [REDACTED]
RCRA Enforcement Section (3HW15)

To: File

Thru: Vicky Binetti, CHIEF - RCRA Enforcement Section, 3HW15
mt 3/31/89

gon
TSD

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS
REQUIRED AT THIS TIME.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - New York, New Jersey, and Pennsylvania

Philadelphia, PA 19104

18403

SUBJECT: RCRA Inspection - Bayertown Sanitary Disposal - Gilbertsville, Pa. DATE: 2/24/89
PAD 048603005

FROM: *gk* Gregory A. Koltonuk, [REDACTED]
RCRA Enforcement Section (JHW) 15

TO: File

Thru: VICKY BINETTI, CHIEF - RCRA ENFORCEMENT SECTION, JHW/15

[Handwritten signature]
TSD/gk

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

What is state doing, given no statement report (p.3)?

18404 TSV
PA

SUBJECT: RCRA Inspection - Boyertown Sanitary Landfill - Gilbertsville, Pa DATE:
PAD 048603005

FROM: ⁹⁴ Gregory A. Koltonuk, [REDACTED]
RCRA Enforcement Section (3HW) ₁₅

TO: File

THRU: Vicky Binetti, ^{Mr 3/14/89} CHIEF - RCRA ENFORCEMENT SECTION, 3HW 15

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS
REQUIRED AT THIS TIME.

18405

SUBJECT: RCRA Inspection - BOYERTOWN SDC - GILBERTSVILLE, PA
PAD 048603005

DATE: 11/20/87

BY: SK Gregory A. Koltonuk, Environmental Scientist
PA-RCRA Enforcement Section (3HW11)

File

u: JOSEPH KOTLINSKI, Chief JK
PA-RCRA Enforcement Section (3HW11)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS
REQUIRED AT THIS TIME.

18406

SUBJECT: RCRA Inspection - *Boyertown Landfill - Gilbertsville, Pa.*

DATE:

~~PAD 94-508-394~~

PAD. 04-860-3005

Re: *gk* Gregory A. Koltonuk, Environmental Scientist
RCRA Enforcement Section (3HW11)

File

Re: Peter W. Schaul, Chief *W*
PA-RCRA Enforcement Section (3HW11)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS
REQUIRED AT THIS TIME.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION III
CENTRAL REGIONAL LABORATORY
839 BESTGATE ROAD
ANNAPOLIS, MARYLAND 21401

301-224-2740
FTS-922-3752

18407

DATE : October 23, 1986

SUBJECT: RCRA Comprehensive Monitoring Evaluation
Boyertown Landfill (PAD 048603005)

FROM : George Houghton, Environmental Protection Specialist 6 HA
Robert Drew Lausch, Hydrogeologist

TO : Harry Harbold
Acting Chief, Pennsylvania RCRA Section (3HW11)

THRU: Leo J. Clark
Chief, Annapolis Field Section (3ES14)

RDL II

On July 29-31, 1986, the EPA's Central Regional Laboratory conducted a RCRA Comprehensive Monitoring Evaluation at the Boyertown Landfill, Gilbertsville, Pennsylvania. Enclosed is a copy of the inspection report including all appropriate forms, checklists, analytical results, etc.

Should you have any questions regarding the enclosed report, please contact this office.

Enclosures
a/s

GHH:baj

18408

SUBJECT: RCRA Inspection - *Bayertown Sanitary Landfill*
Gilbertsville, Pa

DATE: 8/25/87

FROM: *9k* Gregory A. Koltonuk, Environmental Scientist
PA-RCRA Enforcement Section (3HW11) *PAD 0486 03005*

File

TO: Peter W. Schaul, Chief *SA*
PA-RCRA Enforcement Section (3HW11)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS
REQUIRED AT THIS TIME.

18409

SUBJECT: RCRA Inspection - *Boyetown Sanitary Disposal Authority*
Gilbertsville, Pa.
PAD 048603005

DATE: 6/16/87

DM: *9K* Gregory A. Koltonuk, Environmental Scientist
RCRA Enforcement Section (3HW11)

File

ru: Peter W. Schaul, Chief
RCRA Enforcement Section (3HW11)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS
REQUIRED AT THIS TIME.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 400 E. Market St.

Philadelphia, PA 19106

18410

SUBJECT: RCRA Inspection - ~~BOYGETOWN SANITARY DISPOSAL~~
GILBERTSVILLE, PA
PAD 048603005

DATE: 11/4/87

FROM: J Gregory A. Koltonuk, Environmental Scientist
RCRA Enforcement Section (3HW11)

TO: File
Thru: JOSEPH KOTLINSKI, Chief JH
PA-RCRA Enforcement Section (3HW11)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

(F-wastes)

Greg

- (1) Did DER get a copy of this?
- (2) Have they done anything (NAT) re: the
freeboard violations?

Joe

Media

X

NPDES
TSCA
RCRA
AIR

Other _____

FY 87 REGION III ESD
INSPECTION TRACKING SYSTEM

Facility Name:

BOYERTOWN SANITARY DISPOSAL
COMPANY (BOYERTOWN LANDFILL)

Address:

300 MERKEL ROAD
GILBERTSVILLE, PA
19525

Permit/ID Number:

PAD648603005

Type of Inspection (CEI, CSI):

RCRA/CEI

Date of Inspection:

4/28/87

Date of Report:

Inspector and Office:

DREW LAUSCH

EPA/CRL

CHECK APPLICABLE

X

Major
Municipal
Federal
Joint
Oversight

Minor
Industrial

Other _____

Comments: VIOLATIONS: ① FREEBOARD LEVEL NOT INSPECTED EACH DAY IN ANY OF THE THREE (3) SURFACE IMPOUNDMENTS (40 CFR PART 265.226(2)(1)); ② NONE OF THE THREE (3) SURFACE IMPOUNDMENTS ARE INSPECTED AS TO DIKE/VEGETATION STABILITY ON A WEEKLY BASIS (40 CFR PART 265.226(2)(2)); ③ AN INSPECTION LOGBOOK IS NOT MAINTAINED FOR THESE UNITS (40 CFR PART 265.15(d)).

Please sign below to indicate that report is ready for distribution:

X C. K. [Signature] II

④ ALSO, A MINIMUM OF TWO (2) FEET FREEBOARD IS NOT BEING MAINTAINED IN THE RAW LEACHATE SURFACE IMPOUNDMENT (40 CFR PART 265.222).

FILED →

→ THE FOLLOWING SHOULD BE NOTED:

FACILITY PERSONNEL OPERATE A PARTS DEGREASER, LOCATED ON-SITE IN A VEHICLE MAINTENANCE BLDG. THE TYPE DEGREASANT UTILIZED IS A NON-HALOGENATED SOLVENT ("MINERAL SPIRITS": CAS NO. 64742-48-9) IT IS ESTIMATED THAT 45 GALS. OF SPENT SOLVENT ARE GENERATED EACH YEAR.

ACCORDING TO FACILITY REPRESENTATIVES, THE SPENT SOLVENT IS PERIODICALLY EMPTIED INTO A 500 GAL. UNDERGROUND WASTE OIL TANK. FACILITY REPRESENTATIVES EXPLAINED THAT THE WASTE OIL TANK FILLS TO CAPACITY ~~THREE~~ FOUR (4) TIMES A YEAR. AT THESE TIMES, TANK CONTENTS ARE TRANSPORTED OFF-SITE BY A COMPANY CALLED "PETROCON".

THE WASTE OIL WOULD \therefore CONSIST OF \approx 2.2-2.3% BY VOLUME OF SOLVENT.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION III
CENTRAL REGIONAL LABORATORY
839 BESTGATE ROAD
ANNAPOLIS, MARYLAND 21401

301-224-2740
FTS-922-3752

18412

PAD 048603001

DATE : February 20, 1987

SUBJECT: Data: RCRA CME - Boyertown Landfill

FROM : Robert Drew Lausch
Hydrogeologist RDL II

TO : Peter Schaul, Chief
PA RCRA Enforcement Section

THRU: Daniel K. Donnelly, Chief D/KD
Annapolis Field Section

Enclosed are data obtained from analyses of groundwater samples at the subject facility. Delay due to the fact that the Quality Assurance section only recently released data on NH_3 and $\text{NO}_2 + \text{NO}_3$.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION III
CENTRAL REGIONAL LABORATORY
839 BESTGATE ROAD
ANNAPOLIS, MARYLAND 21401

301-224-2740
FTS-922-3752

DATE : October 22, 1986

SUBJECT: Omittance of NH_3 and NO_2+NO_3 Data from Boyertown Landfill
Sample Set

FROM : Janet Roberson *SR*

TO : George Houghton

Enclosed is the completed set of analytical reports for Boyertown Landfill except the results for NH_3 and NO_2+NO_3 (860731-01 - 14). The results for these parameters are hung up in QA. As soon as QA releases the data, then I will issue a report with these results.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106

18413

SUBJECT: RCRA Inspection - *Boyetown Sanitary Disposal Co. - Gilbertsville, Pa.* DATE: *8/1/85*
PAD 048603005

FROM: *K* Gregory A. Koltonuk, Environmental Scientist
RCRA Enforcement Section (3HW11)

TO: File

Thru: Peter W. Schaul, Chief *PS*
RCRA Enforcement Section (3HW11)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

Note:
BODA has a few
Class II violations.
The Class I violations
have been amended. *Cic*

9K
7/26/85

*They are discharging
to POTW now?*

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106

18414

SUBJECT: RCRA Inspection - *Boyer town Sanitary Disposal Co.,*
Gilbertsville, Pa.
PAD 048603005

DATE:

FROM: *qk* Gregory A. Koltonuk, Environmental Scientist
RCRA Enforcement Section (3HW11)

TO: File

Thru: Peter W. Schaul, Chief *P.W. Schaul*
RCRA Enforcement Section (3HW11)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18416 F. Quinn
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - *Boyetown SDA - Gilbertsville, Pa*
PAD 848603005

DATE:

FROM: *gk* Gregory A. Koltonuk, Environmental Scientist
RCRA Enforcement Section (3HW11)

TO: File
Thru: *[Signature]* Peter W. Schaul, Chief
RCRA Enforcement Section (3HW11)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION III
CENTRAL REGIONAL LABORATORY
839 BESTGATE ROAD
ANNAPOLIS, MARYLAND 21401

301-224-2740
FTS-922-3752

18417

DATE : April 19, 1984

SUBJECT: RCRA Compliance Inspection
Boyertown Sanitary Disposal Company, PAD 048603005

FROM : Howard O. Wilson (3ES14) *HOW*
Environmental Engineer

TO : Peter W. Schaul (3HW11)
Chief, RCRA Enforcement Section

On March 21, 1984, a RCRA compliance inspection was conducted at the subject facility.

The existing groundwater monitoring wells are not positioned to monitor a surface impoundment receiving leachate from the landfill. Three of the existing wells (1, 4, and 6) are not properly constructed. Well 5 is not upgradient of well 4.

The surface impoundment has a leak at its base. The integrity of the liner is questioned.

The closure plan was late being prepared and did not include a financial assurance arrangement. A post closure plan has not yet been prepared.

Should you have any questions regarding the completed checklists, please contact this office.

Enclosures

HOW/jlm

RECEIVED

MAY 7 1984

**Waste Enforcement Section - AWMD
EPA Region III**

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY


Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106


18419

SUBJECT: Boyertown Sanitary Disposal Co., Inc.
PAD 048603005

DATE:

FROM: Greg Koltonuk 
RCRA Enforcement Section (3HW11)

TO: File

Thru: Peter Schaul, Chief 
RCRA Enforcement Section (3HW11)

This section will be issuing a \$3008 Compliance Order to the aforementioned facility during the second quarter of FY 84.

18420

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III -- 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - *Boyerstown Sanitary Disposal Co.*
PADO48603005

DATE: 10/28/83

FROM: Gregory Koltonuk *[Signature]*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul *[Signature]*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106

18422

SUBJECT: RCRA Inspection *Boyetown Sanitary Disposal Co.*
PADO-18603005

DATE: 10/28/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul *PS*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18423

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region III - 8th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - Boyertown Sanitary Disposal Co., Inc.
PAD 048603005

DATE: 10/3/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul *P*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

Note: DER issued 2 citations
to facility for hazardous
waste violations (2000).
These citations are attached.
Copies being reviewed by *[signature]*
legal for possible
further action.

gk

18424

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III -- 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - *Boyertown Sanitary Disposal Co.*
Gilbertville, Pa. - PAD 048603005

DATE: 9/20/83

FROM: Gregory Koltonuk *GK*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18425

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - *Bryantown Sanitary Disposal Co.*
Gilbertville, Pa - PAD 048603005

DATE: 9/20/83

FROM: Gregory Koltonuk *JK*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul *PS*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18427

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III --6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - *Bryantown Sanitary Disposal Co.*
Gilbertville, Pa. - PAD 048603005

DATE: 9/20/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

*Note: Order being prepared
in facility.
How long has
this been going on
month's? If so.
lets go*

18428

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection-Boyertown Sanitary Disposal Co., Inc.
PAD 04 860 3005

DATE:

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18429

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection-Boyertown Sanitary Disposal Co., Inc.
PAD 048 603 005

DATE: 5/25/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul *P. Schaul*
Chief, Waste Enforcement Section (3AW22)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE
FACILITY REFERENCED ABOVE, I HAVE DETERMINED THAT NO FUTHER
ACTION IS REQUIRED AT THIS TIME.

Let's keep a close eye on this one.

18430

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection -Boyertown Sanitary Disposal Co., Inc.
PAD 04 860 3005

DATE:

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul
Chief, Waste Enforcement Section (3AW22)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE
FACILITY REFERENCED ABOVE, I HAVE DETERMINED THAT NO FUTHER
ACTION IS REQUIRED AT THIS TIME.

18431

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - Boyertown Sanitary Disposal Co., Inc.
PAD 048603005

DATE: 4/8/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: *WLS* Walter Lee
Chief, Waste Enforcement Section (3AW22)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE
FACILITY REFERENCED ABOVE, I HAVE DETERMINED THAT NO FUTHER
ACTION IS REQUIRED AT THIS TIME.

18433

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY


Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection- Boyertown Sanitary Disposal Co., Inc.
PAD 048603005

DATE: 
4/5/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU:  Walter Lee
Chief, Waste Enforcement Section (3AW22)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE
FACILITY REFERENCED ABOVE, I HAVE DETERMINED THAT NO FUTURE
ACTION IS REQUIRED AT THIS TIME.

18434

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 8th & Walnut Sts.

Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - Boyertown Sanitary Disposal Co., Inc.
PAD 048603005

DATE:

4/5/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Walter Lee *WLS*
Chief, Waste Enforcement Section (3AW22)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE
FACILITY REFERENCED ABOVE, I HAVE DETERMINED THAT NO FUTHER
ACTION IS REQUIRED AT THIS TIME.

18435
Ralph

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - Boyertown Sanitary Disposal Co., Inc.
Gilbertsville, PA - PAD 00 486 03005

DATE: FEB 14 1983

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Abraham Ferdas *AK*
Chief, Air & RCRA Compliance Section (3AW22)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS
REQUIRED AT THIS TIME.

18436

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 8th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - Boyertown Sanitary Disposal Co., Inc
PAD 048603005

DATE:

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Walter *W* Lee
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

1843-

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - Boyertown Sanitary Disposal Co., Inc.
PAD 048603005

DATE:

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Walter Lee *WLee*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18438

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection-Boyertown Sanitary Disposal Co., Inc
PAD 048603005

DATE:

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Walter *Lee*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106

18439

SUBJECT: RCRA Inspection-Boyertown Sanitary
Disposal Co., Inc.
PAD0048603005

DATE:

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Walter *Lee*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18441

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - Boyertown Sanitary Disposal Co.
PAD 04 860 3005

DATE: JAN 6 1983

FROM: William L. Walsh
Environmental Protection Assistant (3AW22) *WLV*

TO: File

THRU: Abraham Ferdas *6MG*
for Chief, Air & RCRA Compliance Section (3AW22)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS
REQUIRED AT THIS TIME.

18442

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - Boyertown Sanitary Disposal Co.
PAD 04 860 3005

DATE: DEC 13 1982

FROM: William L. Walsh
Environmental Protection Assistant (3AW22) *WLL*

TO: File

THRU: Abraham Ferdas *AF*
Chief, Air & RCRA Compliance Section (3AW22)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS
REQUIRED AT THIS TIME.

18443

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection - Boyertown Sanitary Disposal Co.
PAD 04 860 3005

DATE: NOV 8 1982

FROM: William L. Walsh
Environmental Protection Assistant (3AW22) *WLL*

TO: File

THRU: Abraham Ferdas *AF*
Chief, Air & RCRA Compliance Section (3AW22)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS
REQUIRED AT THIS TIME.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY


Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

18445

SUBJECT: RCRA Inspection- ~~Boyertown~~ Sanitary Disposal Co., Inc. DATE: January 26, 1982
PAD 04 860 3005

FROM: William L. Walsh, Environmental Protection Assistant (ULW)
RCRA Compliance And Superfund (3AM23)

TO: File

THRU: Robert L. Collings 
Chief, Water & RCRA Enforcement Section (3RC12)

BASED UPON A REVIEW OF THE RCRA INSPECTION REPORT FOR THE FACILITY
REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION IS
REQUIRED AT THIS TIME.

18446

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106

SUBJECT: RCRA INSPECTION-BOYERTOWN SANITARY DISPOSAL CO. INC. (GENERATOR)
PAD # 048603005 DATE: 7.31.81 DATE: JAN 26.82

FROM: Yener A. Söylemez, Environmental Engineer
Superfund/RCRA Compliance Section (3AW23) *Yener*

TO: File

THRU: Walter F. Lee, Acting Chief
Superfund/RCRA Compliance Section (3AW23)

Robert Collings, Chief
Water & RCRA Enforcement Section (3RC12)

BASED UPON A REVIEW OF THE ENCLOSED RCRA INSPECTION REPORT FOR THE
FACILITY REFERENCED ABOVE, I HAVE DETERMINED THAT NO FURTHER ACTION
IS REQUIRED AT THIS TIME.

ENCLOSURE

18447

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection-Boyertown Sanitary Disposal Co., Inc.
PAD 04 860 3005

DATE: 8/1/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul *PS*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18448

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection-Boyertown Sanitary Disposal Co., Inc.
PAD 048603005

DATE: 7/13/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul *WES for FS*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18449

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.

Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection-Boyertown Sanitary Disposal Co., Inc.
PAD 048603005

DATE: 7/13/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul *PS*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18450

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection-Boyertown Sanitary Disposal Co., Inc.
PAD 048603005

DATE: 7/13/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul *MS for TS*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18451

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 6th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection-Boyertown Sanitary Disposal Co., Inc.
PAD 048603005

DATE: 2/13/83

FROM: Gregory Koltonuk *GK*
Environmental Scientist (3AW22)

TO: File

THRU: Peter Schaul *ME/PS*
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.

18452

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III - 8th & Walnut Sts.
Philadelphia, Pa. 19106

SUBJECT: RCRA Inspection-Boyertown Sanitary Disposal Co., Inc.
PAD 048603005

DATE: 7/13/83

FROM: Gregory Koltonuk *gk*
Environmental Scientist (3AW22)

TO: File

MSF TS
THRU: Peter Schaul
Chief, Waste Enforcement Section (3AW22)

THE STATE IS TAKING ACTION TO RESOLVE THE VIOLATIONS IN THIS
INSPECTION REPORT.

WE WILL MONITOR THE STATE ACTIVITY REGARDING RESOLUTION OF THESE
VIOLATIONS.
